Panasonic
heating & cooling solutions

TRADE PRICE LIST

July 2026

*All prices are in New Zealand dollars, excluding GST and incorporate SGG Levy and Freight











WHAT YOU NEED TO KNOW

Pricing Overview

RAC – High wall / Multi / Floor units
We're pleased to confirm that pricing on these models remains unchanged for the third consecutive year. We're delighted to continue offering these popular products at consistent pricing.

PAC – Ducted / Cassette / Under ceiling
There are some adjustments across individual PAC units. In general, indoor units increase in price and outdoor units have decreased; however when combined, overall system pricing remains largely similar.
PF / PU / PT indoors and compact outdoors decrease slightly in price
PF / PU / PT indoors and deluxe outdoors remain a similar price
PE indoors and compact outdoors have a slight increase
PE indoors and deluxe outdoors increase approximately 5%
Please note that increases across the PE range are largely offset by the inclusion of the return air plenum on the full range, delivering added value and reduced installation costs.

Air to Water and CO2 products
These have been added to the general trade price list and are available at your usual air conditioning discount. For further details, please contact your Panasonic representative.

ERV
There has been a reduction in the ERV trade pricing to make us more market competitive.



New Products

PE4 – Splitable high static ducted range
We are excited to launch our new PE4 range, which will replace the PE3 range as it is phased out.The PE4 models are available in capacities 6.0 / 7.1 / 10.0 / 12.5 / 14.0 / 16.0 and are compatible with new PZ4 compact and PZH3 deluxe outdoors.

- Key features include
  - Splitable design: units separate into three sections, enabling installation in even the most challenging spaces
  - Return air plenums are included with supplied oval spigots, reducing additional materials and installation time
  - Improved COP performance through new 'tilted' heat exchanger design
  - DC fan motors now included in the entire range (now added to the 14.0 & 16.0)
  - Slightly increased unit length, partly offset by reduced overall height.

CO2 Second Generation
Our second generation of Co2 Hot Water heat pumps are due to arrive in late February. These models maintain the same exceptional performance, energy efficiency and value for money as the current generation. We maintain the current 6kW model and will be adding a 4kW model to the line-up.
The new range introduces an updated controller with built in Wi-Fi, allowing end user to access their system via the Panasonic Comfort Cloud app. This enables real-time controller, scheduling and energy usage monitoring.

R290 Chillers
Our range of European manufactured R290 chillers are now available with models ranging from 50 – 80kw and cascade control for multi system operation. With eco-friendly R290 refrigerant they are engineered to produce very high performance and improved energy efficiencies.



Highwall Range

Aero Series R32 Wall Mounted



R32 REFRIGERANT

WiFi Included

nanoeX

All Panasonic Aero Series Wall Mounted Inverters offer: Built-in wifi, Easy installation, User-friendly dual On/Off timer for two independent On and Off times each day until cancelled; Advanced Nanoe-X Air purification; Blue Fin Condenser for extra corrosion protection. R32 refrigerant means even greater energy efficiency and less impact on the environment.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TRADE PRICE (EXCL GST)
2.0kW Aero Kit	CS-Z20AKRW	CU-Z20AKR	Wireless & WIFI Included	2.05 kW	2.80 kW	$532	$798	**$1,330**
2.5kW Aero Kit	CS-Z25AKRW-1	CU-Z25AKR-1	Wireless & WIFI Included	2.50 kW	3.20 kW	$548	$822	**$1,370**
3.5kW Aero Kit	CS-Z35AKRW	CU-Z35AKR	Wireless & WIFI Included	3.50 kW	4.00 kW	$600	$900	**$1,500**
4.2kW Aero Kit	CS-Z42AKRW	CU-Z42AKR	Wireless & WIFI Included	4.20 kW	5.10 kW	$712	$1,068	**$1,780**
5.0kW Aero Kit	CS-Z50AKRW	CU-Z50AKR	Wireless & WIFI Included	5.00 kW	6.00 kW	$784	$1,176	**$1,960**
5.0kW Aero Kit	CS-Z50AKRW-1	CU -Z50AKR-1	Wireless & WIFI Included	5.00 kW	6.00kW	$792	$1,188	**$1,980**
6.0kW Aero Kit	CS-Z60AKRW-1	CU -Z60AKR-1	Wireless & WIFI Included	6.00 kW	7.20 kW	$964	$1,446	**$2,410**
7.1kW Aero Kit	CS-Z71AKRW	CU-Z71AKR	Wireless & WIFI Included	7.10 kW	8.00 kW	$1,108	$1,662	**$2,770**
8.0kW Aero Kit	CS-Z80YKR	CU-Z80YKR	Wireless & WIFI Included	8.00 kW	9.00 kW	$1,276	$1,914	**$3,190**
9.5kW Aero Kit	CS-Z95AKR	CU-Z95AKR	Wireless & WIFI Included	9.50 kW	10.3 kW	$1,400	$2,500	**$3,900**

OPTIONAL WIRED CONTROLLER		
CZ-RD517C	Wired Remote Controller with 7-day Time Clock	**$150**

Developer Series R32 Wall Mounted



R32 REFRIGERANT

WiFi (Optional)

All Panasonic Developer Series Wall Mounted Inverters offer: Easy Installation, ECO + AI For energy savings and comfort, user-friendly dual On/Off timer for two independent On and Off times each day until cancelled; Anti-Bacterial Filter; Blue Fin Condenser for extra corrosion protection. R32 refrigerant means even greater energy efficiency and less impact on the environment.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TRADE PRICE (EXCL GST)
2.5kW Developer Kit	CS -RZ25AKRW	CU-RZ25AKR	Wireless Included	2.50 kW	3.00 kW	$496	$744	**$1,240**
3.5kW Developer Kit	CS -RZ35AKRW	CU-RZ35AKR	Wireless Included	3.50 kW	4.00 kW	$560	$840	**$1,400**
4.2kW Developer Kit	CS -RZ42AKRW	CU-RZ42AKR	Wireless Included	4.20 kW	5.10 kW	$628	$942	**$1,570**
5.0kW Developer Kit	CS -RZ50AKRW	CU-RZ50AKR	Wireless Included	5.00 kW	6.00 kW	$696	$1,044	**$1,740**
6.0kW Developer Kit	CS -RZ60AKRW	CU-RZ60AKR	Wireless Included	6.00 kW	6.50 kW	$856	$1,284	**$2,140**
7.1kW Developer Kit	CS -RZ71AKRW	CU-RZ71AKR	Wireless Included	7.10 kW	8.00 kW	$988	$1,482	**$2,470**
8.0kW Developer Kit	CS-RZ80YKR	CU-RZ80YKR	Wireless Included	8.00 kW	9.00 kW	$1,140	$1,710	**$2,850**
9.5kW Developer Kit	CS-RZ95AKR	CU-RZ95AKR	Wireless Included	9.50 kW	10.3 kW	$1,300	$2,300	**$3,600**

OPTIONAL PARTS AND CONTROLLERS		
CZ-RD517C	Wired Remote Controller with 7-day Time Clock	**$150**
CZ-TACG1	WiFi Adaptor	**$170**

Floor Consoles, Cassettes, and Ducted



Premier Series R32 Floor Console

R32 REFRIGERANT

nanoeX WiFi (Optional)

Premier Series Floor Consoles offer: NanoeX technology for air purification; Super Quiet Operation; Blue Fin Condenser for extra corrosion protection; Can be recessed into a wall, ideal for installing into a decommissioned fireplace. R32 refrigerant means even greater energy efficiency and less impact on the environment.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TRADE PRICE (EXCL GST)
2.5kW Floor Console	CS-Z25UFRAW	CU-Z25UBRA	Wireless Included	2.50 kW	3.40 kW	$1,030	$1,010	**$2,040**
3.5kW Floor Console	CS-Z35UFRAW	CU-Z35UBRA	Wireless Included	3.50 kW	4.30 kW	$1,130	$1,140	**$2,270**
5.0kW Floor Console	CS-Z50UFRAW	CU-Z50UBRA	Wireless Included	5.00 kW	5.60 kW	$1,200	$1,460	**$2,660**

For controller options, see bottom of page 2



Inverter Mini Cassette Units

R32 REFRIGERANT

nanoeX WiFi (Optional)

Panasonic Compact Ceiling Cassette Inverters offer: Small footprint (575x575mm) for mounting into standard ceiling grid; Knock-out for fresh air introduction; Built-in drain pump.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	FASCIA PANEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	FASCIA	TRADE PRICE (EXCL GST)
2.5 PY - Compact ODU	S-25PY3E	U-25PZ3R5	CZ-KPY4	Not Included	2.50 kW	3.20 kW	$850	$1050	$300	**$2,200**
3.6 PY - Compact ODU	S-36PY3E	U-36PZ3R5	CZ-KPY4	Not Included	3.60 kW	3.60 kW	$1,300	$1100	$300	**$2,700**
5.0 PY - Compact ODU	S-50PY3E	U-50PZ3R5	CZ-KPY4	Not Included	5.00 kW	5.00 kW	$1,500	$1300	$300	**$3,100**
6.0 PY - Compact ODU	S-60PY3E	U-60PZ3R5	CZ-KPY4	Not Included	6.00 kW	6.00 kW	$1,700	$1300	$300	**$3,300**

OPTIONAL PARTS AND CONTROLLERS		
CZ-RWS3	Infrared Remote Controller	**$150**
CZ-RWRY3	Infrared Remote Sensor	**$160**
CZ-RTC5B	Deluxe Wall Controller	**$310**
CZ-RTC6W	Simple Wall Controller	**$170**
CZ-RTC6WBL	Simple Wall Controller with Bluetooth	**$220**
CZ-RTC6BLW/CZ-RTC6WBLW2	Simple Wall Controller with Bluetooth & WiFi	**$310**



Single Room Bulk Head System

R32 REFRIGERANT

WiFi (Optional)

Low static; only 200mm high for easy installation; rear or bottom suctions: built-in drain pump; wired remote controller; programmable with 7-day timer; up to 30m maximum pipe length.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TRADE PRICE (EXCL GST)
2.5 UD Slim Ducted	CS-Z25UD3RAW	CU-Z25UBRA	Wireless Included	2.60 kW	3.30 kW	$1,320	$1,010	**$2,330**
3.5 UD Slim Ducted	CS-Z35UD3RAW	CU-Z35UBRA	Wireless Included	3.70 kW	4.20 kW	$1,370	$1,140	**$2,510**
5.0 UD Slim Ducted	CS-Z50UD3RAW	CU-Z50UBRA	Wireless Included	5.00 kW	6.10 kW	$1,410	$1,460	**$2,870**
6.0 UD Slim Ducted	CS-Z60UD3RAW	CU-Z60UBRA	Wireless Included	5.60 kW	7.00 kW	$1,480	$2,040	**$3,520**

Multi Systems

Multi Inverter Outdoor Units



R32 REFRIGERANT

SYSTEM	COOLING CAPACITY	HEATING CAPACITY	ELECTRICAL PHASE	PIPE SIZE & LENGTH	TRADE PRICE (EXCL GST)
	Refer to table in brochure for combination options				
CU-2Z52VBR **2 Indoor unit model**	5.2 kW (1.5 - 6.0 kW)	6.1 kW (1.1 - 7.2 kW)	1Ø Minimum of 2 indoor units required. Indoor unit cannot exceed 7.7 kW	3/8 & 1/4	**$1,970**
CU-3Z54VBR **3 Indoor unit model**	5.4 kW (1.8 - 7.3 kW)	7.0 kW (1.6 - 9.0 kW)	1Ø Minimum of 2 indoor units required. Indoor unit cannot exceed 9.5 kW	3/8 & 1/4	**$2,350**
CU-4Z71VBR **4 Indoor unit model**	7.1 kW (1.9 - 8.8 kW)	8.5 kW (3.0 - 10.7 kW)	1Ø Minimum of 2 indoor units required. Indoor unit cannot exceed 11.5 kW	3/8 & 1/4	**$2,870**
CU-4Z80VBR **4 Indoor unit model**	8.0 kW (2.3 - 9.2 kW)	9.4 kW (3.0 - 11.6 kW)	1Ø Minimum of 2 indoor units required. Indoor unit cannot exceed 14.7 kW	3/8 & 1/4	**$3,460**
CU-5Z100VBR **5 Indoor unit model**	10.0 kW (2.3 - 11.5 kW)	12.0 kW (3.4 - 14.5 kW)	1Ø Minimum of 2 indoor units required. Indoor unit cannot exceed 18.3 kW	3/8 & 1/4	**$4,320**

Multi Indoor NanoeX Cassette Units - 4 way



D.P. Built-in Drain Pump

R32 REFRIGERANT

WiFi (Optional)

nanoeX

Panasonic Compact PAC Ceiling Cassette Inverters offer: NanoeX Air Purification, Small footprint (575x575mm) for mounting into standard ceiling grid; Low profile (230mm high), DC Fan motor, Built-in drain pump. Requires purchase of CZ-KPY4 Panel.

SYSTEM	COOLING CAPACITY	CONTROLLER	PIPE SIZE	TRADE PRICE (EXCL GST)
S-25PY3E *1	2.50	Not Included	1/2 & 1/4	**$850**
S-36PY3E *1	3.60	Not Included	1/2 & 1/4	**$1,300**
S-50PY3E *1	5.00	Not Included	1/2 & 1/4	**$1,500**
S-60PY3E *2	6.00	Not Included	1/2 & 1/4	**$1,700**
CZ-KPY4	Panel			**$300**
OPTIONAL PARTS AND CONTROLLERS				
CZ-RWS3	Infrared Remote Controller			**$150**
CZ-RWRY3	Infrared Remote Sensor			**$160**
CZ-MA1PA	Pipe Size Reducer for units marked *1			**$13**
CZ-MA2PA	Pipe Size Expander for units marked *2			**$18**
CZ-RTC5B	Deluxe Wall Controller			**$310**
CZ-RTC6W	Simple Wall Controller			**$170**
CZ-RT6WBL	Simple Wall Controller with Bluetooth			**$220**
CZ-RTC6BLW/CZ-RTC6WBLW2	Simple Wall Controller with Bluetooth & WiFi			**$310**

Multi Systems

Multi Indoor Wall Mounted Units



R32 REFRIGERANT

WiFi Included

nanoeX

All Panasonic Developer Series Wall Mounted Inverters offer: User-friendly dual On/Off timer for two independent On and Off times each day until cancelled; Anti-Bacterial Filter; Blue Fin Condenser for extra corrosion protection. Aero Series Indoors also adds NanoeX and built-in WiFi. R32 refrigerant means even greater energy efficiency and less impact on the environment.

SYSTEM	COOLING CAPACITY Refer to table in brochure for combination options	CONTROLLER	PIPE SIZE	TRADE PRICE (EXCL GST)
Aero Series Wall Mounted Units				
CS-Z20AKRW	2.05 kW	Wireless & WiFi Included	3/8 & 1/4	$532
CS-Z25AKRW-1	2.50 kW	Wireless & WiFi Included	3/8 & 1/4	$548
CS-Z35AKRW	3.50 kW	Wireless & WiFi Included	3/8 & 1/4	$600
CS-Z42AKRW *1	4.20 kW	Wireless & WiFi Included	1/2 & 1/4	$712
CS-Z50AKRW *1	5.00 kW	Wireless & WiFi Included	1/2 & 1/4	$784
CS-Z50AKRW-1 *1	5.00 kW	Wireless & WiFi Included	1/2 & 1/4	$792
CS-Z60AKRW-1 *2	6.00 kW	Wireless & WiFi Included	1/2 & 1/4	$964
CS-Z71AKRW *2 *3	7.10 kW	Wireless & WiFi Included	5/8 & 1/4 Can only be used with CU-4Z80 & CU-5Z100	$1,108
Developer Series Wall Mounted Units				
CS-MRZ16WKR	1.60 kW	Wireless Included	3/8 & 1/4	$420
CS-MRZ20WKR	2.00 kW	Wireless Included	3/8 & 1/4	$440
CS-RZ25AKRW	2.50 kW	Wireless Included	3/8 & 1/4	$496
CS-RZ35AKRW	3.50 kW	Wireless Included	3/8 & 1/4	$560
CS-RZ42AKRW *1	4.20 kW	Wireless Included	1/2 & 1/4	$628
CS-RZ50AKRW *1	5.00 kW	Wireless Included	1/2 & 1/4	$696
CS-RZ60AKRW *2	6.00 kW	Wireless Included	1/2 & 1/4	$856
CS-RZ71AKRW *2 *3	7.10 kW	Wireless Included	5/8 & 1/4 Can only be used with CU-4Z80 & CU-5Z100	$988

WiFi (Optional)

OPTIONAL PARTS AND CONTROLLERS		
CZ-MA1PA	Pipe Size Reducer for units marked *1	$13
CZ-MA2PA	Pipe Size Expander for units marked *2	$18
CZ-MA3PA	Pipe Size Expander for units marked *3	$19
CZ-RD517C	Wired Remote Controller with 7-day Time Clock	$150

Multi Indoor Floor Console Units



R32 REFRIGERANT

WiFi (Optional)

Premier Series Floor Consoles offer: NanoeX technology for air purification; Super Quiet Operation; Blue Fin Condenser for extra corrosion protection; Can be recessed into a wall, ideal for installing into a decommissioned fireplace. R32 refrigerant means even greater energy efficiency and less impact on the environment.

SYSTEM	COOLING CAPACITY Refer to table in brochure for combination options	CONTROLLER	PIPE SIZE	TRADE PRICE (EXCL GST)
CS-Z25UFRAW	2.5 kW	Wireless Included	3/8 & 1/4	$1,030
CS-Z35UFRAW	3.5 kW	Wireless Included	3/8 & 1/4	$1,130
CS-Z50UFRAW *1	5.0 kW	Wireless Included	3/8 & 1/4	$1,200

OPTIONAL PARTS AND CONTROLLERS		
CZ-MA1PA	Pipe Size Reducerfor units marked *1	$13
CZ-RD517C	Wired Remote Controllerwith 7-day Time Clock	$150

Multi Systems

Single Room Bulk Head Units



R32 REFRIGERANT

WiFi (Optional)

Built-in Drain Pump

Low static; only 200mmhighfor easy installation; rear or bottom suctions: built-in drain pump; wired remote controller; programmable with 7-day timer; up to 30m maximum pipe length.

SYSTEM	COOLING CAPACITY Refer to table in brochure for combination options	CONTROLLER	PIPE SIZE	TRADE PRICE (EXCL GST)
CS-Z25UD3RAW	2.5 kW	Wired Included	3/8 & 1/4	$1,320
CS-Z35UD3RAW	3.5 kW	Wired Included	3/8 & 1/4	$1,370
CS-Z50UD3RAW *1	5.0 kW	Wired Included	3/8 & 1/4	$1,410
CS-Z60UD3RAW *2	6.0 kW	Wired Included	1/2 & 1/4	$1,480

OPTIONAL PARTS		
CZ-MA1PA	Pipe Size Reducer for units marked *1	$13
CZ-MA2PA	Pipe Size Expander for units marked *2	$18

Optional Wi-Fi Adaptors

Options





WiFi

CZ-TACG1 **$150**

Panasonic's new compact, easy to install Wi-Fi adaptor lets you control your residential heatpump from anywhere in the world with an internet connection. Compatible with Developer series highwalls, floor consoles and UD series ducted.

CZ-CAPWFC2 **$240**

The Panasonic CZ-CAPWFC2 interface adaptor allows the connection of one or a group of indoor units to be managed by the Panasonic Comfort Cloud App, which provides control, monitoring, scheduling and error alerts. Compatible with all PAC indoor units.

CZ-RTC6BLW/CZ-RTCWBLW2 **$310**

A smart, stylish CONEX controller which connects to the H&C control app on your phone via Bluetooth, allowing you to access all the advanced features and controls. Can also connect to the Comfort Cloud app from anywhere in the world via the built-in Wi-Fi adaptor.

PE4 PAC Large Capacity Air Conditioners



High Static Splitable Ducted Systems

Splitable Ducted Systems deliver exceptional installation and design flexibility with a high static, large airflow design, easy splitable chassis, and precise temperature control that minimises cold drafts and ensures optimal comfort.

nanoeX WiFi (Optional) R32 REFRIGERANT

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TRADE PRICE (EXCL GST)
HIGH STATIC 70 - 150Pa								
6.0 PE - Compact ODU	S-60PE4R	U-60PZ4R5	Not Included	6.0 kW	6.0 kW	$1,750	$1,300	**$3,050**
7.1 PE - Compact ODU	S-71PE4R	U-71PZ4R5	Not Included	7.1 kW	7.1 kW	$1,950	$1,650	**$3,600**
7.1 PE - Deluxe ODU	S-71PE4R	U-71PZH3R5	Not Included	7.1 kW	8.0 kW	$1,950	$2,200	**$4,150**
10.0 PE - Compact ODU	S-100PE4R	U-100PZ4R5	Not Included	9.5 kW	10.0 kW	$2,000	$2,350	**$4,350**
10.0 PE - Deluxe ODU	S-100PE4R	U-100PZH3R5	Not Included	10.0 kW	12.5 kW	$2,000	$3,050	**$5,050**
12.5 PE - Compact ODU	S-125PE4R	U-125PZ4R5	Not Included	12.5 kW	12.5 kW	$2,350	$2,600	**$4,950**
12.5 PE - Deluxe ODU	S-125PE4R	U-125PZH3R5	Not Included	12.5 kW	14.0 kW	$2,350	$3,100	**$5,450**
14.0 PE - Compact ODU	S-140PE4R	U-140PZ4R5	Not Included	14.0 kW	14.0 kW	$2,500	$2,800	**$5,300**
14.0 PE - Deluxe ODU	S-140PE4R	U-140PZH3R5	Not Included	14.0 kW	16.0 kW	$2,500	$3,300	**$5,800**
14.0 PE - Compact ODU 3Ph	S-140PE4R	U-140PZ4R8	Not Included	14.0 kW	14.0 kW	$2,500	$2,950	**$5,450**
14.0 PE - Deluxe ODU 3Ph	S-140PE4R	U-140PZH3R8	Not Included	14.0 kW	16.0 kW	$2,500	$3,370	**$5,870**
16.0 PE - Deluxe ODU	S-160PE4R	U-160PZH3R5	Not Included	16.0 kW	18.0 kW	$2,200	$5,200	**$7,400**
16.0 PE - Deluxe ODU 3Ph	S-160PE4R	U-160PZH3R8	Not Included	16.0 kW	18.0 kW	$2,200	$5,400	**$7,600**
18.0 PE - Deluxe ODU	S-180PE4R	U-180PZH3R5	Not Included	18.00 kW	20.00 kW	$3,100	$5,760	**$8,860**
18.0 PE - Deluxe ODU 3Ph	S-180PE4R	U-180PZH3R8	Not Included	18.00 kW	20.00 kW	$3,100	$5,760	**$8,860**
20.0 PE - Deluxe ODU 3Ph	S-200PE4R	U-200PZH3R8	Not Included	20.00 kW	22.40 kW	$3,550	$6,160	**$9,710**
22.4 PE - Deluxe ODU 3Ph	S-224PE4R	U-224PZH3R8	Not Included	22.40 kW	25.00 kW	$3,880	$6,430	**$10,310**

OPTIONAL PARTS AND CONTROLLERS		
CZ-140DRS1	Outdoor Drain Kit	**$45**
CZ-RTC6W	Simple Wall Controller	**$170**
CZ-RTC6WBL	Simple Wall Controller with Bluetooth	**$220**
CZ-RTC6BLW/CZ-RTC6WBLW2	Simple Wall Controller with Bluetooth & Wifi	**$310**
CZ-RTC6WZ2	Wired Zone Control with Wifi	**$340**
CZ-CAPZ1M	Zone Control Box - Multiple Settings	**$580**
CZ-CSRC3	Optional Wall Temperature Sensor	**$150**
CZ-FLUSH	Flush Box for Mounting of CZ-RTC6 Controllers	**$40**
CZ-RTC5B	Deluxe Wall Controller	**$310**
CZ-RWS3	Infrared Remote Controller	**$150**
CZ-RWRC3	Infared Remote Controller Sensor	**$275**
CZ-CENSC1	Econavi Wall Sensor	**$240**
CZ-CAPWFC2	Wifi for PAC Large Capacity Air Conditioners	**$290**

*Please note CZ-RWS3 and CZ-RWRC3 both required to use infrared remote controller

PAC Large Capacity Air Conditioners

Low Profile High Static Adaptive Ducted System



R32 REFRIGERANT

D.P. Built-in Drain Pump

WiFi (Optional)

Ducted Inverters offer: NanoeX technology for air purification, programmable 7-day timer; Up to 75m maximum pipe length; Scheduled Timer and group Controller Options. Low profile, DC motor and drain pump built in. Horizontally or vertically mountable. Compatible with new Zone Controller.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TRADE PRICE (EXCL GST)
HIGH STATIC 70 - 150Pa								
3.6 PF - Compact ODU	S-3650PF3E	U-36PZ3R5	Not Included	3.40 kW	3.60 kW	$1,550	$1,190	**$2,340**
5.0 PF – Compact ODU	S-3650PF3E	U-50PZ3R5	Not Included	4.60 kW	5.00 kW	$1,550	$1,300	**$2,850**
6.0 PF – Compact ODU	S-6071PF3E	U-60PZ4R5	Not Included	5.70 kW	5.70 kW	$1,950	$1,300	**$3,250**
7.1 PF – Compact ODU	S-6071PF3E	U-71P4R5	Not Included	6.80 kW	6.80 kW	$1,950	$1,650	**$3,600**
7.1 PF – Deluxe ODU	S-6071PF3E	U-71PZH3R5	Not Included	6.80 kW	7.50 kW	$1,950	$2,200	**$4,150**
10.0 PF – Compact ODU	S-1014PF3E	U-100PZ4R5	Not Included	9.50 kW	9.50 kW	$2,250	$2,350	**$4,600**
10.0 PF – Deluxe ODU	S-1014PF3E	U-100PZH3R5	Not Included	9.50 kW	10.80 kW	$2,250	$3,050	**$5,300**
12.5 PF – Compact ODU	S-1014PF3E	U-125PZ4R5	Not Included	12.10 kW	12.10 kW	$2,250	$2,600	**$4,850**
12.5 PF – Deluxe ODU	S-1014PF3E	U-125PZH3R5	Not Included	12.10 kW	13.50 kW	$2,250	$3,100	**$5,350**
14.0 PF – Compact ODU	S-1014PF3E	U-140PZ4R5	Not Included	13.40 kW	13.40 kW	$2,250	$2,800	**$5,050**
14.0 PF – Deluxe ODU	S-1014PF3E	U-140PZH3R5	Not Included	13.40 kW	15.50 kW	$2,250	$3,300	**$5,550**
14.0 PF – Compact ODU 3Ph	S-1014PF3E	U-140PZ4R8*	Not Included	13.40 kW	13.40 kW	$2,250	$2,950	**$5,200**
14.0 PF – Deluxe ODU 3Ph	S-1014PF3E	U-140PZH3R8*	Not Included	13.40 kW	15.50 kW	$2,250	$3,370	**$5,620**

*3 Phase Outdoor

OPTIONAL PARTS AND CONTROLLERS		
CZ-140DRS1	Outdoor Drain Kit	**$45**
CZ-RTC6W	Simple Wall Controller	**$170**
CZ-RTC6WBL	Simple Wall Controller with Bluetooth	**$220**
CZ-RTC6BLW/CZ-RTC6WBLW2	Simple Wall Controller with Bluetooth & WiFi	**$310**
CZ-RTC6Z	Wired Zone Control with WiFi	**$340**
CZ-CAPZ1M	Zone Control Box - Multiple Settings	**$580**
CZ-CSRC3	Optional Wall Temperature Sensor	**$150**
CZ-FLUSH	Flush Box for Mounting of CZ-RTC6 Controllers	**$40**
CZ-RTC5B	Deluxe Wall Controller	**$310**
CZ-RWS3	Infrared Remote Controller	**$150**
CZ-RWRC3	Infrared Remote Controller Sensor	**$275**
CZ-CENSC1	Econavi Wall Sensor	**$240**
CZ-CAPWFC2	WiFi for PAC Large Capacity Air Conditioners	**$290**

*Please note CZ-RWS3 and CZ-RWRC3 both required to use infrared remote controller

Ducted Kits and Plenums

Duct-Air offers your customers the complete package of function and style

Ducted Kits (PE and PF Series)

Panasonic Duct-Air ducted installation kits make selling and installing a luxury ducted heat pump system a breeze. We have done all the hard work and sourced the best equipment needed for a simple, turn-key installation. Our installation kits are extremely cost effective and can be used on our PE and PF series ducted systems. The end result is the complete package - a cost-effective, high performance ducted air conditioning solution that subtly blends into any environment.

MODEL	PRODUCT DESCRIPTION	TRADE PRICE (EXCL GST)
S-60-71PE4-KIT	Four-room kit for use with the S-60PE ducted systems	**$1,650**
S-100PE4-KIT	Six-room kit for use with the S-100PE4ducted systems	**$2,000**
S-125-140-160PE4-KIT	Eight-room kit for use with the S-125PE, S-140PE and S-160PE ducted systems	**$2,650**
S-36-50PF3KIT	Four room kit for use with S-36-50PF ducted systems	**$1,470**
S-60-71PF3KIT	Four room kit for use with S-60-71PF ducted systems	**$1,850**
S-100-125-140PF3KIT	Eight room kit for use with S-100-140PF ducted systems	**$2,810**

Plenums (PE and PF Series)

Supply and Return Plenums for PE and PF series ducted systems

Our new plenum kits allow you to pair our purpose built plenums with your own ducting and installation accessories for the most flexible solution.

MODEL	PRODUCT DESCRIPTION	TRADE PRICE
PLEN-S60-S71PE4	Supply plenum to suit S-60PE4 and S-71PE4 ducted system	**$550**
PLEN-S100PE4	Supply plenum to suit S-100PE4 ducted system	**$550**
PLEN-S125-140-160PE4	Supply plenum to suit S-125PE4, S-140PE4 & S-160PE4 ducted system	**$500**
PLEN-S180 & S-200PE	Supply and Return Plenum to suit S-180PE ducted system	**POA**
PLEN-S-224PE	Supply and Return Plenum to suit S-200PE & S-224PE ducted system	**POA**
PLEN-S36-50PF3	Supply and Return Plenum to suit S-36PF3 & S-50PF3 ducted system	**$740**
PLEN-S60-71PF3	Supply and Return Plenum to suit S-60PF3 & S-71PF3 ducted system	**$840**
PLEN-S100-125-140PF3	Supply and Return Plenum to suit S-100PF3, S-125PF3 & S-140PF3 ducted system	**$930**

PAC Large Capacity Air Conditioners

Inverter Ceiling Cassette Systems



R32 REFRIGERANT

WiFi (Optional)

Built-in Drain Pump

nanoeX

Panasonic Ceiling Cassette Inverters offer: NanoeX Technology for Air Purification, Programmable 7-day timer; Optional wireless remote controller; Knockout for fresh air introduction; Knockout for small supply duct; Up to 75m pipe length; Scheduled timer and group controller options.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	FASCIA PANEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	FASCIA	TRADEPRICE (EXCL GST)
6.0 PU – Compact ODU	S-6071PU3E	U-60PZ4R5	CZ-KPU3H	Not Included	6.00	6.00	$1,850	$1,300	$320	**$3,470**
7.1 PU – Compact ODU	S-6071PU3E	U-71PZ4R5	CZ-KPU3H	Not Included	7.10	7.10	$1,850	$1,650	$320	**$3,820**
7.1 PU – Deluxe ODU	S-6071PU3E	U-71PZH3R5	CZ-KPU3H	Not Included	7.10	8.00	$1,850	$2,200	$320	**$4,370**
10.0 PU – Compact ODU	S-1014PU3E	U-100PZ4R5	CZ-KPU3H	Not Included	10.00	10.00	$2,700	$2,350	$320	**$5,370**
10.0 PU – Deluxe ODU	S-1014PU3E	U-100PZH3R5	CZ-KPU3H	Not Included	10.00	11.20	$2,700	$3,050	$320	**$6,070**
12.5 PU – Compact ODU	S-1014PU3E	U-125PZ4R5	CZ-KPU3H	Not Included	12.50	12.50	$2,700	$2,600	$320	**$5,620**
12.5 PU – Deluxe ODU	S-1014PU3E	U-125PZH3R5	CZ-KPU3H	Not Included	12.50	14.00	$2,700	$3,100	$320	**$6,120**
14.0 PU – Compact ODU	S-1014PU3E	U-140PZ4R5	CZ-KPU3H	Not Included	14.00	14.00	$2,700	$2,800	$320	**$5,820**
14.0 PU – Deluxe ODU	S-1014PU3E	U-140PZH3R5	CZ-KPU3H	Not Included	14.00	16.00	$2,700	$3,300	$320	**$6,320**
14.0 PU – Compact ODU*	S-1014PU3E	U-140PZ4R8*	CZ-KPU3H	Not Included	14.00	14.00	$2,700	$2,950	$320	**$5,970**
14.0 PU – Deluxe ODU*	S-1014PU3E	U-140PZH3R8*	CZ-KPU3H	Not Included	14.00	16.00	$2,700	$3,370	$320	**$6,390**

*3 Phase Outdoor

OPTIONAL PARTS AND CONTROLLERS		
CZ-140DRS1	Outdoor Drain Kit	**$45**
CZ-RTC6W	Simple Wall Controller	**$170**
CZ-RTC6WBL	Simple Wall Controller with Bluetooth	**$220**
CZ-RTC6BLW/CZ-RTC6WBLW2	Simple Wall Controller with Bluetooth & WiFi	**$310**
CZ-FLUSH	Flushbox for Mounting of CZ-RTC6 Controllers	**$40**
CZ-RTC5B	Deluxe Wall Controller	**$310**
CZ-RWS3	Infrared Remote Controller	**$150**
CZ-RWRU3	Infrared Remote Controller Sensor	**$175**
CZ-CENSC1	Econavi Wall Sensor	**$240**
CZ-CAPWFC2	WiFi for PAC Large Capacity Air Conditioners	**$290**

*Please note CZ-RWS3 and CZ-RWRU3 both required to use infrared remote controller.

PAC Large Capacity Air Conditioners

Inverter Under Ceiling Units



R32 REFRIGERANT

nanoeX WiFi (Optional)

Units under Ceiling Inverters offer: NanoeX Technologyfor Air Purification, Programmable 7-day timer; Up to 75m maximum pipe length; Scheduled Timer and Group Controller options.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TOTAL PRICE (EXCL GST)
10.0 PT – Compact ODU	S-1014PT3E	U-100PZ4R5	Not Included	10.00 kW	10.00 kW	$2,950	$2,350	**$5,300**
10.0 PT – Deluxe ODU	S-1014PT3E	U-100PZH3R5	Not Included	9.50 kW	11.20 kW	$2,950	$3,050	**$6,000**
12.5 PT – Compact ODU	S-1014PT3E	U-125PZ4R5	Not Included	12.50 kW	12.50 kW	$2,950	$2,600	**$5,550**
12.5 PT – Deluxe ODU	S-1014PT3E	U-125PZH3R5	Not Included	12.10 kW	14.00 kW	$2,950	$3,100	**$6,050**
14.0 PT – Compact ODU	S-1014PT3E	U-140PZ4R5	Not Included	13.60 kW	14.00 kW	$2,950	$2,800	**$5,750**
14.0 PT – Deluxe ODU	S-1014PT3E	U-140PZH3R5	Not Included	13.40 kW	16.00 kW	$2,950	$3,300	**$6,250**
14.0 PT – Compact ODU 3Ph	S-1014PT3E	U-140PZ4R8*	Not Included	13.60 kW	14.00 kW	$2,950	$2,950	**$5,900**
14.0 PT – Compact ODU 3Ph	S-1014PT3E	U-140PZH3R8*	Not Included	13.40 kW	16.00 kW	$2,950	$3,370	**$6,320**

*3 Phase Outdoor

OPTIONAL PARTS AND CONTROLLERS		
CZ-140DRS1	Outdoor Drain Kit	**$45**
CZ-RTC6W	Simple Wall Controller	**$170**
CZ-RTC6WBL	Simple Wall Controller with Bluetooth	**$220**
CZ-RTC6BLW/CZ-RTC6WBLW2	Simple Wall Controller with Bluetooth & WiFi	**$310**
CZ-FLUSH	Flush box for Mounting of CZ-RTC6 Controllers	**$40**
CZ-RTC5B	Deluxe Wall Controller	**$310**
CZ-RWS3	Infrared Remote	**$150**
CZ-RWRT3	Remote Sensor	**$175**
CZ-CENSC1	Econavi Wall Sensor	**$240**
CZ-CAPWFC2	WiFi for PAC Large Capacity Air Conditioners	**$290**

*Please note CZ-RWS3 and CZ-RWCT3 both required to use infrared remote controller

Wall Mounted



nanoeX

Providing small, lightweight and low noise level design, it is ideal for small offices and other commercial applications. It also has a stylish smooth design with a washable front panel.

SYSTEM	INDOOR MODEL	OUTDOOR MODEL	CONTROLLER	COOLING CAPACITY	HEATING CAPACITY	INDOOR	OUTDOOR	TOTAL PRICE (EXCL GST)
2.5 PK – RAC ODU	S-25PK4R	CU-RZ25AKR	Not Included	2.50 kW	3.00 kW	POA	POA	**POA**
5.0 PK – RAC ODU	S-50PK4R	CU-RZ50AKR	Not Included	5.00 kW	6.00 kW	POA	POA	**POA**
7.1 PK – RAC ODU	S-71PK4R	CU-RZ71AKR	Not Included	7.10 kW	8.00 kW	POA	POA	**POA**
10.0 PK – RAC ODU	S-100PK4R	CU-RZ95AKR	Not Included	8.80 kW	9.00 kW	POA	POA	**POA**
10.0PK - Compact ODU 3Ph	S-100PK4R	U-100PZ4R8*	Not Included	9.00 kW	9.00 kW	POA	POA	**POA**

*3 Phase Outdoor

Air Purification & Ventilation

Ventilation Fan



Panasonic's Ceiling mounted Extraction Fan with intelligent motion Sensor. Comes with Built-in Motion sensor, Built-in Run-on timer, DC Fan motor, Quiet Operation.

MODEL	NOISE @ 1M [DB(A)]	AIR VOLUME	TRADE PRICE
FV-24JR3	31	44 l/s	**$400**

Mini FSV-VRF

Bulk Head Ducted Z1 Type R410A only



WiFi (Optional)

The ultra slim Z1 type is one of the leading product of it's type in the industry. With a height of only 200mm, it provides greater flexibility and adaptability for various applications. In addition, high efficiency and extreme low noise level make it highly suitable for hotels and small offices. Compatible with new Zone Controller.

MODEL	COOLING CAPACITY	HEATING CAPACITY	CURRENT HEAT AMPS	DIMENSIONS	PIPE SIZE	TRADE PRICE (EXCL GST)
S-22MZ1H4A	2.2 kW	2.5 kW	0.50	200x830x500	6.35 (1/4) 12.7 (1/2)	**POA**
S-28MZ1H4A	2.8 kW	3.2 kW	0.55	200x830x500	6.35 (1/4) 12.7 (1/2)	**POA**
S-36MZ1H4A	3.6 kW	4.2 kW	0.60	200x830x500	6.35 (1/4) 12.7 (1/2)	**POA**
S-45MZ1H4A	4.5 kW	5.1 kW	0.70	200x830x500	6.35 (1/4) 12.7 (1/2)	**POA**
S-56MZ1H4A	5.6 kW	6.4 kW	0.75	200x830x500	6.35 (1/4) 12.7 (1/2)	**POA**
S-60MZ1H4A	6.0 kW	7.1 kW	0.75	200x830x500	6.35 (1/4) 12.7 (1/2)	**POA**
S-60MZ1H4A	7.3 kW	8.0 kW	0.80	200x1050x550	9.52 (3/8) 15.88 (5/8)	**POA**

MK Series Wall Mounted

Wall Mounted K3 Type



WiFi (Optional)

The K2 typewall mounted unit has a stylish smooth design with a washable front panel. Small, lightweight and low noise level makes it ideal for small offices and other commercial applications.

	COOLING CAPACITY	HEATING CAPACITY	DIMENSIONS	PIPE SIZE (LIQUID/GAS)	TRADE PRICE (EXCL GST)
S-22MK3E	2.2 kW	2.5 kW	295x890x244	6.35 (1/4) 12.7 (1/2)	**POA**
S-28MK3E	2.8 kW	3.2 kW	295x890x244	6.35 (1/4) 12.7 (1/2)	**POA**
S-36MK3E	3.6 kW	4.2 kW	295x890x244	6.35 (1/4) 12.7 (1/2)	**POA**
S-45MK3E	4.5 kW	5.0 kW	295x890x244	6.35 (1/4) 12.7 (1/2)	**POA**
S-56MK3E	5.6 kW	6.3 kW	295x1060x249	6.35 (1/4) 12.7 (1/2)	**POA**
S-73MK3E	7.3 kW	8.0 kW	295x1060x249	9.52 (3/8) 15.88 (5/8)	**POA**
S-106MK3E	10.6 kW	10.6 kW	295x1060x249	9.52 (3/8) 15.88 (5/8)	**POA**

MF Series Adaptive Ducted

Low Silhouette Ducted F3 Type



DP Built-in Drain Pump

nanoeX WiFi (Optional)

F3 type is designed specifically for applications requiring fixed square ducting. The internal filter is equipped as standard. Comes with NanoeX built in for air purification. Compatible with new Zone Controller.

	COOLING CAPACITY	HEATING CAPACITY	DIMENSIONS	PIPE SIZE (LIQUID/GAS)	TRADE PRICE (EXCL GST)
S-22MF3E5D	2.2 kW	2.5 kW	250x800x730	6.35 (1/4) 12.7 (1/2)	**POA**
S-28MF3E5D	2.8 kW	3.2 kW	250x800x730	6.35 (1/4) 12.7 (1/2)	**POA**
S-36MF3E5D	3.6 kW	4.2 kW	250x800x730	6.35 (1/4) 12.7 (1/2)	**POA**
S-45MF3E5D	4.5 kW	5.0 kW	250x800x730	6.35 (1/4) 12.7 (1/2)	**POA**
S-56MF3E5D	5.6 kW	6.3 kW	250x800x730	6.35 (1/4) 12.7 (1/2)	**POA**
S-60MF3E5D	6.0 kW	7.1 kW	250x1000x730	9.52 (3/8) 15.88 (5/8)	**POA**
S-73MF3E5D	7.3 kW	8.0 kW	250x1000x730	9.52 (3/8) 15.88 (5/8)	**POA**
S-90MF3E5D	9.0 kW	10.0 kW	250x1000x730	9.52 (3/8) 15.88 (5/8)	**POA**
S-112MF3E5D	11.2 kW	12.5 kW	250x1400x730	9.52 (3/8) 15.88 (5/8)	**POA**
S-140MF3E5D	14.0 kW	16.0 kW	290x1400x730	9.52 (3/8) 15.88 (5/8)	**POA**
S-160MF3E5D	16.0 kW	18.0 kW	290x1400x730	9.52 (3/8) 15.88 (5/8)	**POA**

MM2 Series Bulk Head Ducted

Slim Low Static Ducted M2 Type

The ultra slim M2 type is one of the leading products of its type in the industry. With a depth and height of only 450 mm and 200 mm, it provides greater flexibility and adaptability for various applications. In addition, high efficiency and extreme low noise level make it highly suitable for hotels and small offices.

MODEL	COOLING CAPACITY	HEATING CAPACITY	DIMENSIONS	PIPE SIZE (LIQUID/GAS)	TRADE PRICE (EXCL GST)
S-22MM2EB	2.2 kW	2.5 kW	200x700x450	6.35 (1/4) 12.7 (1/2)	**POA**
S-28MM2EB	2.8 kW	3.2 kW	200x700x450	6.35 (1/4) 12.7 (1/2)	**POA**
S-36MM2EB	3.6 kW	4.2 kW	200x700x450	6.35 (1/4) 12.7 (1/2)	**POA**
S-45MM2EB	4.5 kW	5.0 kW	200x900x450	6.35 (1/4) 12.7 (1/2)	**POA**
S-56MM2EB	5.6 kW	6.3 kW	200x900x450	6.35 (1/4) 12.7 (1/2)	**POA**

Mini FSV-VRF



Floor Console G1 Type R410A only

Compact, versatile, and stylish, this system is capable of being installed in an area with limited space. It is a perfect solution for retrofit, replacing existing radiator panels. Comes with NanoeX for built in air purification.

WiFi (Optional)

MODEL	COOLING CAPACITY	HEATING CAPACITY	CURRENT HEAT AMPS	DIMENSIONS	PIPE SIZE & LENGTH	TRADE PRICE (EXCL GST)
S-22MG1E5N	2.2 kW	2.5 kW	0.18	600x750x207	6.35 (1/4) 12.7 (1/2)	POA
S-28MG1E5N	2.8 kW	3.2 kW	0.18	600x750x207	6.35 (1/4) 12.7 (1/2)	POA
S-36MG1E5N	3.6 kW	4.2 kW	0.22	600x750x207	6.35 (1/4) 12.7 (1/2)	POA
S-45MG1E5N	4.5 kW	5.0 kW	0.24	600x750x207	6.35 (1/4) 12.7 (1/2)	POA
S-56MG1E5N	5.6 kW	6.3 kW	0.26	600x750x207	6.35 (1/4) 12.7 (1/2)	POA

MU Series 4 Way Cassette



4 Way Cassette U2 Type

U2 Type cassettes are made smaller, slimmer, lighter and a standard 950 x 950mm panel is available for the entire product range. Featuring NanoeX built in for Air Purification.

nanoeX WiFi (Optional) D.P. Built-in Drain Pump

MODEL	COOLING CAPACITY	HEATING CAPACITY	DIMENSIONS	PIPE SIZE (LIQUID/GAS)	TRADE PRICE (EXCL GST)
S-22MU2E5BN	2.2 kW	2.5 kW	256x840x840	6.35 (1/4) 12.7 (1/2)	POA
S-28MU2E5BN	2.8 kW	3.2 kW	256x840x840	6.35 (1/4) 12.7 (1/2)	POA
S-36MU2E5BN	3.6 kW	4.2 kW	256x840x840	6.35 (1/4) 12.7 (1/2)	POA
S-45MU2E5BN	4.5 kW	5.0 kW	256x840x840	6.35 (1/4) 12.7 (1/2)	POA
S-56MU2E5BN	5.6 kW	6.3 kW	256x840x840	6.35 (1/4) 12.7 (1/2)	POA
S-60MU2E5BN	6.0 kW	7.1 kW	256x840x840	9.52 (3/8) 15.88 (5/8)	POA
S-73MU2E5BN	7.3 kW	8.0 kW	256x840x840	9.52 (3/8) 15.88 (5/8)	POA
S-90MU2E5BN	9.0 kW	10.0 kW	256x840x840	9.52 (3/8) 15.88 (5/8)	POA
S-112MU2E5BN	11.2 kW	14.0 kW	319x840x840	9.52 (3/8) 15.88 (5/8)	POA
S-140MU2E5BN	14.0 kW	16.0 kW	319x840x840	9.52 (3/8) 15.88 (5/8)	POA
S-160MU2E5BN	16.0 kW	18.0 kW	319x840x840	9.52 (3/8) 15.88 (5/8)	POA
PANELS					
CZ-KPU3H	Panel U2 series		33.5x950x950		$320

MY Series 4 Way Mini Cassette

4-Way Mini Cassette MY Type

Designed to fit perfectly into a 60 x 60 cm ceiling grid without the need to alter the bar configuration, the Y3 is ideal for small commercial and retrofit applications. In addition, improvements to the Y3's efficiency make this model one of the most advanced units in the industry.

MODEL	COOLING CAPACITY	HEATING CAPACITY	DIMENSIONS	PIPE SIZE (LIQUID/GAS)	TRADE PRICE (EXCL GST)
S-22MY3EB	2.2 kW	2.5 kW	243x575x575	6.35 (1/4) 12.7 (1/2)	**POA**
S-28MY3EB	2.8 kW	3.2 kW	243x575x575	6.35 (1/4) 12.7 (1/2)	**POA**
S-36MY3EB	3.6 kW	4.2 kW	243x575x575	6.35 (1/4) 12.7 (1/2)	**POA**
S-45MY3EB	4.5 kW	5.0 kW	243x575x575	6.35 (1/4) 12.7 (1/2)	**POA**
S-56MY3EB	5.6 kW	6.3 kW	243x575x575	6.35 (1/4) 12.7 (1/2)	**POA**
PANELS					
CZ-KPY4					**$300**

R32 Mini VRF Outdoor Units



Outdoors - Mini R32

MODEL	COOLING CAPACITY	HEATING CAPACITY	DIMENSIONS	PIPE SIZES (LIQUID/SUCTION)	TRADE PRICE (EXCL GST)
U-4LZ2E5 4HPMini-FSV (Single Phase)	12.1 kW	12.5 kW	996x980x370	9.52 / 15.88	**POA**
U-4LZ2E8 4HPMini-FSV (3 Phase)	12.1 kW	12.5 kW	996x980x370	9.52 / 15.88	**POA**
U-5LZ2E5 4HPMini-FSV (Single Phase)	14.0 kW	16.0 kW	996x980x370	9.52 / 15.88	**POA**
U-5LZ2E8 4HPMini-FSV (3 Phase)	14.0 kW	16.0 kW	996x980x370	9.52 / 15.88	**POA**
U-6LZ2E5 466HPMini-FSV (Single Phase)	15.5 kW	16.5 kW	996x980x370	9.52 / 15.88	**POA**
U-6LZ2E8 6HPMini-FSV (3 Phase)	15.5 kW	16.5 kW	996x980x370	9.52 / 15.88	**POA**
U-8LZ2E8 8HP Mini-FSV (3 Phase)	22.4 kW	25.0 kW	1500x980x370	9.52 / 19.05	**POA**
U-10LZ2E8 10HP Mini-FSV (3 Phase)	25.0 kW	28.0 kW	1500x980x370	9.52 / 22.22	**POA**

Anti Corrosion Protection

Preventative treatment to ensure the effective running and longevity of your solution in coastal locations (please contact your local rep for more details)

		TRADE PRICE (EXCL GST)
Blygold Anti Corrosion Treatment	Treatment For Coastal Areas Does Not Include Panels	**POA**

Accessories

Air conditioning controls and kits





Controls

A wide variety of control options are available to meet the requirements of most applications. Please note the controls below are not an exhaustive list and represent just a small selection of what is available.

MODEL	DESCRIPTION	TRADE PRICE (EXCL GST)
CZ-RTC5B	Deluxe wall controller	**$310**
CZ-RT6W	Simple wall controller	**$170**
CZ-RT6WBL	Simple wall controller with Bluetooth	**$220**
CZ-RTC6BLW/CZ-RTC6WBLW2	Simple Wall Controller with Bluetooth and WiFi	**$310**
CZ-RTC6WZ2	Wired Zone Control with WiFi	**$340**
CZ-CAPZ1M	Zone control box - Multiple settings	**$580**
CZ-FLUSH	Flush Box for mounting of CZ-RTC6 controllers	**$40**
CZ-RTC4A	Simple Wall Controller	**$150**
CZ-T10	T-10 Connector	**$40**
CZ-140DRS1	Outdoor Drain Kit	**$45**
CZ-CAPWFC2	WiFi for PAC Large Capacity Air Conditioners	**$290**
CZ-CSRC3	Optional Wall Temperature Sensor	**$150**
CZ-RWS3	Infrared Remote Controller	**$150**
CZ-RWRC3	Infrared Remote Controller Sensor (Ducted) *	**$275**
CZ-RWRT3	Infrared Remote Controller Sensor (Under-Ceiling) *	**$175**
CZ-RWRU3	Infrared Remote Controller Sensor (Cassette) *	**$175**
	*CZ-RWS3 controller also required	

Branch Pipe Kits

MODEL	DESCRIPTION	TRADE PRICE (EXCL GST)
CZ-P160BK2	Distribution Joint Kits	**POA**
CZ-P680BK2	VRF Indoor Branch Kit	**POA**

ERV Systems

Heat Recovery




Panasonic's EneKan ERV systems provide balanced, energy efficient ventilation by transferring heat and moisture between incoming fresh filtered air and outgoing stale air.

MODEL	m3/H	l/s	TRADE PRICE (EXCL GST)
FV-15ZY125	150	41 l/s	**$1,700**
FV-35ZY125	350	97 l/s	**$2,200**
FV-50ZY125	500	138 l/s	**$2,400**
FV-65ZY125	650	180 l/s	**$2,600**
FV-1KZY125	1000	277 l/s	**$3,800**

FILTERS	DESCRIPTION	TRADE PRICE (EXCL GST)
FV-FP15ZY1	Replacement F7 filters for FV-15ZY1 (4 filters in set)	**$200**
FV-FP35ZY1	Replacement F7 filters for FV-35ZY1 (4 filters in set)	**$200**
FV-FP50ZY1	Replacement F7 filters for FV-50ZY1 (4 filters in set)	**$240**
FV-FP65ZY1	Replacement F7 filters for FV-65ZY1 (4 filters in set)	**$280**
FV-FP1KZY1	Replacement F7 filters for FV-1KZY1 (4 filters in set)	**$280**

Air to Water





R32

Aquarea Monobloc - High Performance

Model	Dimensions (H x W x D)	Weight (kg)	Controller	Cooling Capacity	Heating Capacity	Phase	Trade Price (excl. GST)
WH-MDC05J3E5	865 x 1283 x 320	99	Included	5	5	Single	**$7,500**
WH-MDC07J3E5	865 x 1283 x 320	104	Included	7	7	Single	**$8,450**
WH-MDC09J3E5	865 x 1283 x 320	104	Included	9	9	Single	**$10,000**
WH-MDC16J6R5	1410 x 1283 x 320	140	Included	12	16	Single	**$13,500**

Aquarea Monobloc - T-CAP

Model	Dimensions (H x W x D)	Weight (kg)	Controller	Cooling Capacity	Heating Capacity	Phase	Trade Price (excl. GST)
WH-MXC12J6E5-1	1410 x 1283 x 320	140	Included	12	12	Single	**$12,500**
WH-MXC16J9E8-1	1410 x 1283 x 320	150	Included	16	16	Three	**$14,500**

Optional Accessories

Model Number	Description	Trade Price (excl. GST)
PAW-TS1	6m tank sensor	**$25**
PAW-TS2	20m tank sensor	**$40**
PAW-A2W-TSBU	Buffer tank sensor	**$40**
PAW-A2W-TSOD	Outdoor ambient sensor	**$75**
PAW-A2W-TSHC	Zone water sensor	**$75**
PAW-A2W-TSRT	Zone room thermistor	**$75**
PAW-A2W-TSSO	Solar sensor	**$45**
PAW-A2W-CMH-2	Cascade controller	**$2,850**

Hot Water Heat Pump



CO2 Hot Water Heat Pump

System HE-	Dimensions (H x W x D)	Weight (kg)	Controller	COP	Heating Capacity	Outdoor Unit Trade Price	Controller Trade Price	Trade Price (excl. GST)
UM60CR	672 x 799 x 299	46	HE-1MAHR	5.03*	4.83*	$3,700	$400	**$4,100**
HE-UM40CR	672 x 799 x 299	41	HE-1MAHR	4.44*	4.00*	$3,400	$400	**$3,800**

*19 degree outdoor air temp, 17 degree water inlet temp.

Rinnai Tanks

Model Number	Dimensions (H x W x D)	Weight (kg)	Tank Capacity L	Description	Trade Price (excl. GST)
ME215515E30	1825 x 515 x 515	83	215	215L enamel indoor/outdoor tank, requires accessories 31203 and 12099	**$1,900**
ME275685E30	1265 x 685 x 685	87	275	275L enamel indoor/outdoor tank, requires accessories 31203 and 12099	**$2,000**
ME340685E30	1510 x 685 x 685	101	340	340L enamel indoor/outdoor tank, requires accessories 31203 and 12099	**$2,300**

Required Accessories for Rinnai Tanks

Model Number	Description	Trade Price (excl. GST)
31328	2kW element & seal	**$150**

All In One R290 Hot Water Heat Pump

Model Number	Dimensions (HxWxD)	Weight (kg)	COP	Heating Capacity	Trade Price (excl. GST)
PHE-30ABR	2130 x 640 x 640	130	5.1	2.33	**$4,000**



*Outdoor unit also compatible with other common tank models. Scan to see Quick Start/ Install Manual for requirements.

R290 Heat Pump Chiller



50 kW

HIGH SEER 4,33

HIGH SCOP 3,54

AIR COOLED

PLATE HEAT EXCHANGER

ROTARY/SCROLL COMPRESSOR

The range at a glance

- 1 version: H (heat pump)
- 4 sizes
- 2 acoustic options: STD (standard) and S (super low noise)



60 kW

Advantages

- A super eco-friendly unit; employs natural refrigerant R290 with GWP of 3
- Very high performance and improved energy efficiencies
- Smart energy consumption
- Expanded operating limit
- Domestic hot water management
- Compact chassis
- Very quiet operation
- Cascade controller available for multi system operation
- SG ready
- Very low refrigerant charge
- Reliable safety measurements



70 - 80 kW

For further details, technical specifications, or support with upcoming projects, please get in contact with our team.

Scan for brochure